

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 11-Nov-2014

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | ISHINE 4055 , 4059 Floor Finish For Industrial and Institutional Use Only | |
|--|---|--|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com | |
| 24 Hour Emergency Phone Numbers: Medical Emergency/Information: 888-314-6171 Transportation/Spill/Leak: CHEMTREC 800-424-9300 | | |
| 2. HAZARDS IDENTIFICATIO | N | |
| GHS Classification Not Classified | Not dangerous according to the Globally Harmonized System (GHS) | |
| GHS Label Elements Signal Word: Symbols: Hazard Statements: <u>Precautionary Statements:</u> Prevention: Response: -Specific Treatment: | None No hazard statements Not Applicable See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. | |
| Storage: Disposal: | Not Applicable Not Applicable | |
| Hazards Not Otherwise Classified: | Not Applicable | |
| Other Information: | May cause skin irritation. May cause eye irritation. May be harmful if swallowed. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children. | |

• Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------------|-------------|----------|
| water | 7732-18-5 | 40-70 |
| acrylic polymer | PROPRIETARY | 10-30 |
| diethylene glycol monoethyl ether | 111-90-0 | 3-7 |
| tributoxyethyl phosphate | 78-51-3 | 1-5 |

| styrene/acrylic copolymer | PROPRIETARY | 1-5 |
|-------------------------------------|-------------|-----|
| dipropylene glycol monomethyl ether | 34590-94-8 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| -Eye Contact: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. | |
|--------------------------------|--|--|
| -Skin Contact: -Inhalation: | Wash with soap and water. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell. | |
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. | |
| Note to Physicians: | Treat symptomatically. | |
| 5. FIRE-FIGHTING MEASURES | | |
| Suitable Extinguishing Media: | Product does not support combustion. Use extinguishing agent suitable for type of | |

| Suitable Extinguishing Media: | surrounding fire |
|---|---|
| Specific Hazards Arising from the Chemical: | Dried product is capable of burning. Combustion products are toxic. |
| Hazardous Combustion Products: | May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. |
| Protective Equipment and Precautions for Firefighters: | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray. |

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. |
|----------------------------|---|
| Environmental Precautions: | Do not rinse spill onto the ground, into storm sewers or bodies of water. |
| Methods for Clean-Up: | Prevent further leakage or spillage if safe to do so. Contain and collect spillage with |
| - | non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) |
| | and place in container for disposal according to local / national regulations (see Section 13). |

7. HANDLING AND STORAGE

| Advice on Safe Handling: | Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly |
|--------------------------|---|
| Storage Conditions: | after handling. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|---|-------------------------------------|--|---|
| dipropylene glycol monomethyl ether 34590-94-8 | STEL: 150 ppm TWA: 100 ppm S* | TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S* | IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³ |

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

| Personal Protective Equipment | |
|---------------------------------|---|
| Eye/Face Protection: | Not required with expected use. |
| Skin and Body Protection: | Not required with expected use. |
| Respiratory Protection: | Not required with expected use. |
| | If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section |
| | 3 should be considered. |
| General Hygiene Considerations: | Wash hands and any exposed skin thoroughly after handling. |
| | See 29 CFR 1910.132-138 for further guidance. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Liquid |
|---------------------------------|-----------------------------|
| Color: | White emulsion |
| Odor: | Slight ammonia odor |
| pH: | 8.0-9.0 |
| Melting Point / Freezing Point: | No information available. |
| Boiling Point / Boiling Range: | 100 °C / 212 °F |
| Flash Point: | > 99 °C / > 210 °F ASTM D56 |
| Evaporation Rate: | < 1 (BuAc = 1) |
| Flammability (solid, gas) | No information available. |
| Upper Flammability Limit: | No information available. |
| Lower Flammability Limit: | No information available. |
| Vapor Pressure: | No information available. |
| Vapor Density: | No information available. |
| Specific Gravity: | 1.037 |
| Solubility(ies): | Miscible in water |
| Partition Coefficient: | No information available. |
| Autoignition Temperature: | No information available. |
| Decomposition Temperature: | No information available. |
| Viscosity: | No information available. |

10. STABILITY AND REACTIVITY

| Reactivity: | This material is considered to be non-reactive under normal conditions of use. |
|------------------------------------|--|
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reactions | : Not expected to occur with normal handling and storage. |
| Conditions to Avoid: | Extremes of temperature and direct sunlight. |
| Incompatible Materials: | Strong oxidizing agents. Strong acids. |
| Hazardous Decomposition | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. |
| Products: | |

11. TOXICOLOGICAL INFORMATION

| Likely Routes of Exposure: | Eyes, Skin, Ingestion, Inhalation. | | |
|--|--|--|--|
| Symptoms of Exposure: | | | |
| -Eye Contact: | Pain and redness. | | |
| -Skin Contact: | Drying of the skin. | | |
| -Inhalation: | Nasal discomfort and coughing. | | |
| -Ingestion: | Pain, nausea, vomiting and diarrhea. | | |
| Immediate, Delayed, Chronic Effects | | | |
| Product Information: | Data not available or insufficient for classification. | | |
| Target Organ Effects: | Central nervous systemEyes. Respiratory System. | | |
| Numerical Measures of Toxicity | | | |
| The following acute toxicity estimates (ATE) are calculated based on the GHS document. | | | |
| | | | |
| ATEmix (oral): | 19463 mg/kg | | |
| ATEmix (dermal): | 39694 mg/kg | | |

ATEmix (inhalation-dust/mist): 30.8 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|--|----------------------|
| water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| diethylene glycol monoethyl ether 111-90-0 | = 1920 mg/kg (Rat) | = 4200 µL/kg (Rabbit)= 6 mL/kg (Rat) | > 5240 mg/m³(Rat)4 h |
| tributoxyethyl phosphate 78-51-3 | = 3000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 6.4 mg/L (Rat)4 h |
| dipropylene glycol monomethyl ether 34590-94-8 | = 5230 mg/kg (Rat) | = 9500 mg/kg (Rabbit) | Not Available |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|--|----------------------|---|-------------------------------|--|
| diethylene glycol monoethyl ether 111-90-0 | Not Available | 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow-through | Not Available | 3940 - 4670: 48 h Daphnia magna mg/L EC50 |
| tributoxyethyl phosphate 78-51-3 | Not Available | 10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through | Not Available | Not Available |
| dipropylene glycol monomethyl ether 34590-94-8 | Not Available | 10000: 96 h Pimephales promelas mg/L LC50 static | Not Available | 1919: 48 h Daphnia magna mg/L LC50 |

Persistence and Degradability: No. 1000 Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Proper Shipping Name: Not Regulated Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances: diethylene glycol monoethyl ether

CAS No 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |
| | |

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|--|---------------------------|--|
| ethylene glycol monoethyl ether - 110-80-5 | Developmental | |
| | Male Reproductive | |

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

| 16. OTHER INFORMATION | | | | | | |
|-----------------------|-------------------|-----------------|---------------------|--------------|--|--|
| NFPA | Health Hazards: 1 | Flammability: 0 | Instability: 0 | Special: N/A | | |
| HMIS | Health Hazards: 1 | Flammability: 0 | Physical Hazards: 0 | | | |

Revision Date: Reasons for Revision: 11-Nov-2014 No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet